


1) Apply Solder Paste



2) Apply heat until paste begins to bubble



3) Solder will solidify

## Solder Paste

*Works With The Head Of A Match, Lighter, Soldering Iron Or Torch.*  
Five times stronger than ordinary Solder. Provides strength without the distortion of high temperature brazing.



### 20409

#### Silver Bearing Solder Paste

For Ferrous and Non-Ferrous Metals: steel, cast iron, stainless steel, brass, bronze, nickel, platinum, chrome, monel, galvanized, gold & silver.  
Auto electrical systems, circuit boards, etc.  
Flows freely at 430° F.  
Tensile Strength: 10,000 to 25,000 PSI.  
7.1 grams syringe

UNIT PACKAGE: 1

### 20410

#### Copper Bearing Lead-Free Solder Paste

For use with copper. Also works on brass, stainless steel, nickel and bronze. Does not contain any lead, cadmium or antimony.  
Flows freely at 430° F.  
Tensile strength: 10,000 to 25,000 PSI.  
14.7 grams syringe

UNIT PACKAGE: 1



## Weld Pins

### Round Head • Copper Plated Steel

By welding these pins to a damaged body panel, a body shop technician can use a gripping tool to pull the dent out of the panel.

Pin Diameter: 2mm (.080")  
Length: 2"  
Head Diameter: .145"

Pin Diameter: 2.5mm (.098")  
Length: 2"  
Head Diameter: .175"

19095 UNIT PACKAGE: 100  
19096 UNIT PACKAGE: 250  
19097 UNIT PACKAGE: 500

19098 UNIT PACKAGE: 100  
19099 UNIT PACKAGE: 250  
19100 UNIT PACKAGE: 500



## WELDING BLANKET

Part No. 21083

A 6 ft. x 6 ft. lightweight, soft and flexible welding blanket for draping over equipment or floor surfaces in welding areas, or as a vertical shield to protect from the spray of sparks, spatter and slag. Our fire and heat resistant welding blankets are made with a carbon fiber fabric that was developed from NASA technologies. The carbon fibers can withstand temperatures of 1800° F from contact with hot metal, weld spatter or the welding flame for short durations but should not be exposed to temperatures of 200° F for extended periods as the carbon fibers will break down. The blankets are easy to clean; just shake, vacuum or use compressed air to blow metal particles out.

UNIT PACKAGE: 1