


Sec. 9

TEENUT® FASTENERS

Round Base -3 Rivet or Nail Holes for Assembly
Material: Low Carbon Steel, Zinc Finish



For applications into materials of high density and where repeated bolt removal and replacement is expected.




Auveco No.	Thread Size	A	B	C	D +.005	E	R	S	Unit Pkg.
18341	1/4-20	3/4	5/16	.311/.306	.098	5/64	19/64	.050	50
2262	3/8-16	1	1/2	.471/.466	.145	5/64	5/64	.075	100

Claw Prongs -Round Base
Material: Low Carbon Steel, Plain Finish

This Long Prong Teenut has six claw-like prongs that penetrate into wood, toe in, and grip so tightly that you have to drive it to back it out of its hole.



Auveco No.	Thread Size	A	B	C	D	S	Unit Pkg.
10729	10-24	3/4	9/32	.232/.227	13/64	.035	50
11324	1/4-20	3/4	5/16	.294/.289	15/64	.042	50
10730	1/4-20	3/4	7/16	.294/.289	15/64	.042	50
10731	5/16-18	7/8	3/8	.369/.364	19/64	.052	50
10732	3/8-16	1.0	7/16	.448/.443	11/32	.062	25




Claw Prongs -Slimline, Round Base
Material: Low Carbon Steel, Plain Finish

Recommended where superior retention in soft wood is required.




Auveco No.	Thread Size	A	B	C	D	S	Unit Pkg.
11325	1/4-20	3/4	5/16	.294/.289	15/64	.042	100
11326	5/16-18	7/8	3/8	.369/.364	19/64	.052	50
11327	3/8-16	1.00	7/16	.448/.443	11/32	.062	25



Claw Prongs -Slimline, Round Base
Material: 300 Series Stainless Steel, Plain Finish



Auveco No.	Thread Size	A	B	C	D	S	Unit Pkg.
17013	1/4-20	3/4"	5/16"	19/64"	3/16"	.047"	25
17014	5/16"-18	7/8"	3/8"	25/64"	5/16"	.063"	10
17015	3/8-16	1"	7/16"	29/64"	11/32"	.071"	10



Straight Prongs - Round Base
Material: Low Carbon Steel, Plain Finish

This Teenut is recommended for thick material applications and applications requiring the top of the barrel to provide a bearing surface for mating parts.



Auveco No.	Thread Size	A	B	C	D	Type	S	Unit Pkg.
11328	6-32	9/16	15/64	.164/.157	1/8	3 Prongs	.020	50
11331	10-32	3/4	9/32	.232/.227	13/64	3 Prongs	.035	50
11332	1/4-20	3/4	5/16	.311/.306	15/64	4 Prongs	.050	50

